

ANALYTICAL REPORT

PREPARED FOR

Attn: Facilities Black Butte Elem
Black Butte Elementary School District #41
25745 SW Suttle-Sherman Rd
Camp Sherman, Oregon 97730

Generated 9/18/2025 4:37:37 PM

JOB DESCRIPTION

Black Butte Elementary SD 41
School Lead

JOB NUMBER

175-688-1

Eurofins Bend

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northwest, LLC Project Manager.

Authorization



Authorized for release by
Michelle Angland, Project Manager
michelle.angland@et.eurofinsus.com
(541)639-8425

Generated
9/18/2025 4:37:37 PM

Definitions/Glossary

Client: Black Butte Elementary School District #41
Project/Site: Black Butte Elementary SD 41

Job ID: 175-688-1
SDG: School Lead

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Black Butte Elementary School District #41
Project: Black Butte Elementary SD 41

Job ID: 175-688-1

Job ID: 175-688-1

Eurofins Bend

Job Narrative 175-688-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 9/10/2025 12:24 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 20.6°C.

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Bend

Client Sample Results

Client: Black Butte Elementary School District #41
Project/Site: Black Butte Elementary SD 41

Job ID: 175-688-1
SDG: School Lead

Client Sample ID: 20520100-001CF 26A SW Class Faucet

Lab Sample ID: 175-688-1

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.3		0.50	ug/L			09/16/25 21:42	1

Client Sample ID: 20520100-002DW 26A SW Class Fountain

Lab Sample ID: 175-688-2

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ug/L			09/16/25 21:44	1

Client Sample ID: 20520100-003CF 26A NE Class Faucet

Lab Sample ID: 175-688-3

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ug/L			09/16/25 21:46	1

Client Sample ID: 20520100-004DW 26A NE Class Fountain

Lab Sample ID: 175-688-4

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ug/L			09/16/25 21:48	1

Client Sample ID: 20520100-005CF 26A NW Class Faucet

Lab Sample ID: 175-688-5

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.7		0.50	ug/L			09/16/25 21:50	1

Client Sample ID: 20520100-006DW 26A NW Class Fountain

Lab Sample ID: 175-688-6

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ug/L			09/16/25 21:56	1

Client Sample ID: 20520100-007BF 26A NW Class Bathroom

Lab Sample ID: 175-688-7

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.53		0.50	ug/L			09/16/25 22:04	1

Eurofins Bend

Client Sample Results

Client: Black Butte Elementary School District #41
Project/Site: Black Butte Elementary SD 41

Job ID: 175-688-1
SDG: School Lead

Client Sample ID: 20520100-008BF 26A Staff Bathroom

Lab Sample ID: 175-688-8

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ug/L			09/16/25 22:06	1

Client Sample ID: 20520100-009KF 26A Kitchen Faucet

Lab Sample ID: 175-688-9

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ug/L			09/16/25 22:08	1

Client Sample ID: 20520100-010WB 26A Kitchen Bottle Fill

Lab Sample ID: 175-688-10

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	ND		0.50	ug/L			09/16/25 12:47	1

Client Sample ID: 20520100-011OT 26A Left Hand Wash

Lab Sample ID: 175-688-11

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.93		0.50	ug/L			09/16/25 12:50	1

Client Sample ID: 20520100-012OT 26A Center Hand Wash

Lab Sample ID: 175-688-12

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.0		0.50	ug/L			09/16/25 12:52	1

Client Sample ID: 20520100-013OT 26A Right Hand Wash

Lab Sample ID: 175-688-13

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.9		0.50	ug/L			09/16/25 12:55	1

Action Limit Summary

Client: Black Butte Elementary School District #41
Project/Site: Black Butte Elementary SD 41

Job ID: 175-688-1
SDG: School Lead

Client Sample ID: 20520100-001CF 26A SW Class Faucet

Lab Sample ID: 175-688-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	OR DW Limit	RL	Method	Prep Type
Lead	1.3		ug/L	10.00	15.000	0.50	200.8	Total/NA

Client Sample ID: 20520100-002DW 26A SW Class Fountain

Lab Sample ID: 175-688-2

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	OR DW Limit	RL	Method	Prep Type
Lead	ND		ug/L	10.00	15.000	0.50	200.8	Total/NA

Client Sample ID: 20520100-003CF 26A NE Class Faucet

Lab Sample ID: 175-688-3

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	OR DW Limit	RL	Method	Prep Type
Lead	ND		ug/L	10.00	15.000	0.50	200.8	Total/NA

Client Sample ID: 20520100-004DW 26A NE Class Fountain

Lab Sample ID: 175-688-4

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	OR DW Limit	RL	Method	Prep Type
Lead	ND		ug/L	10.00	15.000	0.50	200.8	Total/NA

Client Sample ID: 20520100-005CF 26A NW Class Faucet

Lab Sample ID: 175-688-5

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	OR DW Limit	RL	Method	Prep Type
Lead	2.7		ug/L	10.00	15.000	0.50	200.8	Total/NA

Client Sample ID: 20520100-006DW 26A NW Class Fountain

Lab Sample ID: 175-688-6

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	OR DW Limit	RL	Method	Prep Type
Lead	ND		ug/L	10.00	15.000	0.50	200.8	Total/NA

Eurofins Bend

Action Limit Summary

Client: Black Butte Elementary School District #41
Project/Site: Black Butte Elementary SD 41

Job ID: 175-688-1
SDG: School Lead

Client Sample ID: 20520100-007BF 26A NW Class Bathroom

Lab Sample ID: 175-688-7

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	OR DW Limit	RL	Method	Prep Type
Lead	0.53		ug/L	10.00	15.000	0.50	200.8	Total/NA

Client Sample ID: 20520100-008BF 26A Staff Bathroom

Lab Sample ID: 175-688-8

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	OR DW Limit	RL	Method	Prep Type
Lead	ND		ug/L	10.00	15.000	0.50	200.8	Total/NA

Client Sample ID: 20520100-009KF 26A Kitchen Faucet

Lab Sample ID: 175-688-9

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	OR DW Limit	RL	Method	Prep Type
Lead	ND		ug/L	10.00	15.000	0.50	200.8	Total/NA

Client Sample ID: 20520100-010WB 26A Kitchen Bottle Fill

Lab Sample ID: 175-688-10

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	OR DW Limit	RL	Method	Prep Type
Lead	ND		ug/L	10.00	15.000	0.50	200.8	Total/NA

Client Sample ID: 20520100-011OT 26A Left Hand Wash

Lab Sample ID: 175-688-11

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	OR DW Limit	RL	Method	Prep Type
Lead	0.93		ug/L	10.00	15.000	0.50	200.8	Total/NA

Client Sample ID: 20520100-012OT 26A Center Hand Wash

Lab Sample ID: 175-688-12

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	OR DW Limit	RL	Method	Prep Type
Lead	1.0		ug/L	10.00	15.000	0.50	200.8	Total/NA

Eurofins Bend

Action Limit Summary

Client: Black Butte Elementary School District #41
Project/Site: Black Butte Elementary SD 41

Job ID: 175-688-1
SDG: School Lead

Client Sample ID: 20520100-013OT 26A Right Hand Wash

Lab Sample ID: 175-688-13

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL Limit	OR DW Limit	RL	Method	Prep Type
Lead	1.9		ug/L	10.00	15.000	0.50	200.8	Total/NA

Lab Chronicle

Client: Black Butte Elementary School District #41
Project/Site: Black Butte Elementary SD 41

Job ID: 175-688-1
SDG: School Lead

Client Sample ID: 20520100-001CF 26A SW Class Faucet

Lab Sample ID: 175-688-1

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	174600	T8BB	EA POM	09/16/25 21:42

Client Sample ID: 20520100-002DW 26A SW Class Fountain

Lab Sample ID: 175-688-2

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	174600	T8BB	EA POM	09/16/25 21:44

Client Sample ID: 20520100-003CF 26A NE Class Faucet

Lab Sample ID: 175-688-3

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	174600	T8BB	EA POM	09/16/25 21:46

Client Sample ID: 20520100-004DW 26A NE Class Fountain

Lab Sample ID: 175-688-4

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	174600	T8BB	EA POM	09/16/25 21:48

Client Sample ID: 20520100-005CF 26A NW Class Faucet

Lab Sample ID: 175-688-5

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	174600	T8BB	EA POM	09/16/25 21:50

Client Sample ID: 20520100-006DW 26A NW Class Fountain

Lab Sample ID: 175-688-6

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	174600	T8BB	EA POM	09/16/25 21:56

Client Sample ID: 20520100-007BF 26A NW Class Bathroom

Lab Sample ID: 175-688-7

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	174600	T8BB	EA POM	09/16/25 22:04

Eurofins Bend

Lab Chronicle

Client: Black Butte Elementary School District #41
Project/Site: Black Butte Elementary SD 41

Job ID: 175-688-1
SDG: School Lead

Client Sample ID: 20520100-008BF 26A Staff Bathroom

Lab Sample ID: 175-688-8

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	174600	T8BB	EA POM	09/16/25 22:06

Client Sample ID: 20520100-009KF 26A Kitchen Faucet

Lab Sample ID: 175-688-9

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	174600	T8BB	EA POM	09/16/25 22:08

Client Sample ID: 20520100-010WB 26A Kitchen Bottle Fill

Lab Sample ID: 175-688-10

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	174538	T8BB	EA POM	09/16/25 12:47

Client Sample ID: 20520100-011OT 26A Left Hand Wash

Lab Sample ID: 175-688-11

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	174538	T8BB	EA POM	09/16/25 12:50

Client Sample ID: 20520100-012OT 26A Center Hand Wash

Lab Sample ID: 175-688-12

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	174538	T8BB	EA POM	09/16/25 12:52

Client Sample ID: 20520100-013OT 26A Right Hand Wash

Lab Sample ID: 175-688-13

Date Collected: 09/10/25 07:30

Matrix: Drinking Water

Date Received: 09/10/25 12:24

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	174538	T8BB	EA POM	09/16/25 12:55

Laboratory References:

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

Accreditation/Certification Summary

Client: Black Butte Elementary School District #41
Project/Site: Black Butte Elementary SD 41

Job ID: 175-688-1
SDG: School Lead

Laboratory: Eurofins Eaton Analytical Pomona

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	ISO/IEC 17025	5890.01 & 5890.02	06-30-27
Alabama	State	41060	06-18-26
Arizona	State	AZ0833	02-27-26
Arkansas (DW)	State	CA00006	01-31-26
California	State	2813	06-18-27
Colorado	State	CA00006	01-31-26
Connecticut	State	PH-0107	03-31-26
Delaware (DW)	State	CA00006	01-31-26
Florida	NELAP	E871024	06-30-26
Georgia (DW)	State	947	01-31-26
Guam	State	25-02R	03-31-26
Hawaii	State	CA00006	01-31-26
Hawaii (Micro)	State	CA00006	01-31-26
Idaho (DW)	State	CA00006	01-31-26
Idaho (Micro)	State	CA00006	03-31-26
Illinois	NELAP	200033	03-31-26
Indiana	State	C-CA-01	06-18-27
Kansas	NELAP	E-10268	04-30-26
Kentucky (DW)	State	KY90107	12-31-25
Louisiana (DW)	State	LA008	12-31-25
Maine	State	CA00006A	03-08-26
Maryland	State	224	03-31-26
Massachusetts	State	M-CA006	06-30-26
MI - RadChem Recognition	State	9906	06-18-25 *
Michigan	State	9906	06-18-25 *
Mississippi	State	CA2813	06-18-25 *
Montana (DW)	State	CERT0035	01-01-26
Nebraska	State	NE-OS-21-13	01-31-26
Nevada	State	CA00006	07-31-26
New Hampshire	NELAP	2959	03-29-26
New Jersey	NELAP	CA008	06-30-26
New Mexico	State	CA00006	01-31-26
New York	NELAP	11320	04-01-26
North Carolina (DW)	State	06701	07-31-26
North Dakota	State	R-009	01-31-26
Northern Mariana Islands (DW)	State	CA00006	01-31-26
Ohio	State	87786	01-31-26
Oregon	NELAP	4034	01-29-26
Pennsylvania	NELAP	68-00565	10-31-25
Puerto Rico	State	CA00006	03-31-26
Rhode Island	State	LAO00381	12-30-25
South Dakota (DW)	State	CA11320	06-18-27
Tennessee	State	TN02839	01-31-25 *
Texas	NELAP	T104704230	09-30-25
USEPA UCMR 5	US Federal Programs	CA00006	12-31-25
Utah	NELAP	CA00006	01-31-26
Vermont	State	VT-0114	12-28-25
Virginia	NELAP	460260	06-14-26
Washington	State	C838	03-13-26
Wyoming	State	8-TMS-L	06-18-27

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Bend

PAGE 1 OF 2

ANALYTICAL

EDGE

Main Lab (800-755-9296)
1620 South Walnut St. Burlington, WA 98233
Microbiology (888-725-1212)
805 W. Orchard Dr. Suite 4 Bellingham, WA 98225
Bend Lab (541-539-9425)
20332 Empire Ave. Suite F4 Bend, OR 97703
Wilsonville Lab (503-882-7602)
9735 SW Commerce Cir. Suite A2 Wilsonville, OR 97070
Corvallis Lab (541-753-4946)
1100 NE Circle Blvd Ste 130, Corvallis, OR 97330

**SPECIAL INSTRUCTIONS/
CONDITIONS ON RECEIPT**

▶TOTAL CONTAINERS

☒ ☐ ☐ ☐ ☐ ☐ YES

☐ ☐ ☐ ☐ ☐ NO

☐ ☐ ☐ N/A

CHAIN OF CUSTODY / ANALYSIS REQUEST (PLEASE COMPLETE ALL APPLICABLE SHADED SECTIONS)



REPORT TO:	BILLING EMAIL:	REF#	FOR LAB USE ONLY
ADDRESS:	BILL TO:	CHECK REGULATORY PROGRAM	
CITY:	STATE OR ZIP:	☐ SAFE DRINKING WATER ACT	
ATTN:	CITY:	☐ CLEAN WATER ACT	
PHONE:	FAX:	☐ RCRA / CERCLA	
REPORT EMAIL:	PAYMENT:	☐ OTHER	
PROJECT NAME:	CLIENT ID:		

Main Lab (800-755-9295)
1620 South Walnut St. Burlington, WA 98233
Microbiology (888-725-1212)
805 W. Orchard Dr. Suite 4 Bellingham, WA 98225
Bend Lab (541-639-8425)
20332 Empire Ave. Suite F4 Bend, OR 97703
Wilsonville Lab (503-682-7802)
9725 SW Commerce Cir. Suite A2 Wilsonville, OR 97070
Corvallis Lab (541-753-4946)
1100 NE Circle Blvd Ste 130, Corvallis, OR 97330

INSTRUCTIONS

1. USE ONE LINE PER SAMPLE LOCATION.
2. BE SPECIFIC IN TEST REQUESTS.
3. **NEW** LIST EACH METAL INDIVIDUALLY.
4. CHECK OFF ANALYSIS TO BE PERFORMED FOR EACH SAMPLE LOCATION.
5. ENTER NUMBER OF CONTAINERS.

TURN AROUND TIME REQUIRED

- ☐ STANDARD
- ☐ HALF-TIME (50% SURCHARGE)
- ☐ QUICKEST (100% SURCHARGE) PHONE CALL REQ.
- ☐ EMERGENCY (PHONE CALL REQUIRED)

ANALYSIS REQUESTED

SAMPLE ID	LOCATION	GRAB/COMP.	SAMPLE MATRIX *	DATE	TIME	ANALYSIS REQUESTED					NUMBER OF CONTAINERS	SPECIAL INSTRUCTIONS/CONDITIONS ON RECEIPT
20520100												
1	-011 OT 26A Left Hand Wash	G	DW	9/10	7:35	☒	☒	☒	☒	☒		
2	-012 OT 26A Center Hand Wash	G	DW	9/10	7:35	☒	☒	☒	☒	☒		
3	-013 OT 26A Right Hand Wash	G	DW	9/10	7:35	☒	☒	☒	☒	☒		
4						☐	☐	☐	☐	☐		
5						☐	☐	☐	☐	☐		
6						☐	☐	☐	☐	☐		
7						☐	☐	☐	☐	☐		
8						☐	☐	☐	☐	☐		
9						☐	☐	☐	☐	☐		
10						☐	☐	☐	☐	☐		
SAMPLED BY: PHONE: FAX: EMAIL: TOTAL CONTAINERS												

SAMPLE RECEIPT REQUESTED (MUST INCLUDE FAX OR EMAIL) ☐

* W-WATER DW-DRINKING WATER SW-SURFACE WATER GW-GROUND WATER WW-WASTE WATER S-SOIL

OL-OIL OTHER

CUSTODY SEALS INTACT

SAMPLE TEMPERATURE (IRG01) SATISFACTORY

EVIDENCE OF COOLING

SAMPLES RECEIVED INTACT

CHAIN OF CUSTODY & LABELS AGREE

RELINQUISHED BY	DATE	TIME	RECEIVED BY	DATE	TIME
<i>Brenda West</i>	9/10	12:10	<i>Andrew West</i>	9/10	12:14

Eurofins Bend

20332 Empire Ave Suite F4

Bend, OR 97701

Phone 541-639-8425 Fax 541-999-9999

Chain of Custody Record



eurofins

Client Information (Sub Contract Lab)		Sampler N/A		Lab PM Angland, Michelle R		Carrier Tracking No(s): N/A		COC No: 175-127 1	
Client Contact Shipping/Receiving		Phone N/A		E-Mail michelle.angland@et.eurofinsus.com		State of Origin: Oregon		Page Page 1 of 2	
Company Eurofins Eaton Analytical				Accreditations Required (See note): NELAP - Oregon				Job #: 175-688-1	
Address 941 Corporate Center Drive,		Due Date Requested: 9/23/2025		Analysis Requested				Preservation Codes -	
City Pomona		TAT Requested (days) N/A							
State Zip: CA, 91768-2642		PO #: N/A		Field Filtered Sample (Yes or No) Perform MS/MSD (Yes or No) 200.8_SDWA/Auto_ME_NoPreLead		Total Number of containers		Other: N/A	
Phone: 626-386-1100(Tel)		WO #: N/A							
Email N/A		Project #: 17500166		SSOW# N/A					
Project Name Black Butte Elementary SD 41		Site N/A							
Sample Identification - Client ID (Lab ID)		Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/soil, BT=tissue, A=air)	Special Instructions/Note:			
				Preservation Code:					
20520100-001CF 26A SW Class Faucet (175-688-1)		9/10/25	07 30 Pacific	G	Drinking Water		X		1
20520100-002 DW 26A SW Class Fountain (175-688-2)		9/10/25	07 30 Pacific	G	Drinking Water		X		1
20520100-003CF 26A NE Class Faucet (175-688-3)		9/10/25	07 30 Pacific	G	Drinking Water		X		1
20520100-004DW 26A NE Class Fountain (175-688-4)		9/10/25	07 30 Pacific	G	Drinking Water		X		1
20520100-005CF 26A NW Class Fountain (175-688-5)		9/10/25	07 30 Pacific	G	Drinking Water		X		1
20520100-006DW 26A NW Class Fountain (175-688-6)		9/10/25	07 30 Pacific	G	Drinking Water		X		1
20520100-007BF 26A NW Class Fountain (175-688-7)		9/10/25	07 30 Pacific	G	Drinking Water		X		1
20520100-008BF 26A Staff Bathroom (175-688-8)		9/10/25	07.30 Pacific	G	Drinking Water		X		1
20520100-009KF 26A Kitchen Faucet (175-688-9)		9/10/25	07 30 Pacific	G	Drinking Water		X		1
Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing Northwest, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing Northwest, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing Northwest, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing Northwest, LLC.									
Possible Hazard Identification					Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)				
Unconfirmed					☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months				
Deliverable Requested I, II, III, IV, Other (specify)			Primary Deliverable Rank: 1		Special Instructions/QC Requirements				
Empty Kit Relinquished by			Date		Time		Method of Shipment: FedEx 8843 0501 3767		
Relinquished by: <i>Kelly Mills</i>		Date/Time: <i>9.11.25 1245</i>		Company		Received by: <i>Michelle Angland</i>		Date/Time: <i>9/12/25 947</i>	
Relinquished by:		Date/Time:		Company		Received by:		Date/Time:	
Relinquished by:		Date/Time:		Company		Received by:		Date/Time:	
Custody Seals Intact: Δ Yes Δ No		Custody Seal No:		Cooler Temperature(s) °C and Other Remarks: <i>(65A) 20.3+0.0-20.3 no ice</i>					

Login Sample Receipt Checklist

Client: Black Butte Elementary School District #41

Job Number: 175-688-1

SDG Number: School Lead

Login Number: 688

List Number: 1

Creator: Angland, Michelle R

List Source: Eurofins Bend

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	Thermal preservation not required.
Cooler Temperature is acceptable.	N/A	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	True	

Login Sample Receipt Checklist

Client: Black Butte Elementary School District #41

Job Number: 175-688-1
SDG Number: School Lead

Login Number: 688

List Number: 2

Creator: Tran, Kristine

List Source: Eurofins Eaton Analytical Pomona

List Creation: 09/13/25 09:48 AM

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
Samples were received on ice.	False	Thermal preservation not required.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Samples do not require splitting or compositing.	N/A	
Were samples preserved to correct pH upon receipt, if applicable?	True	
Container provided by EEA	True	